



Sprocket Hardware

10-022



Final Drive Chain Sprockets

10-022



Final Drive Belt Sprockets

10-023

10

01
HELMETS,
LUGGAGE,
AUDIO & MORE

02
SEAT

03
EXHAUST

04
ELECTRIC
& LIGHT

05
ENGINE
ELECTRICS

06
INTAKE

07
ENGINE

08
PRIMARY

09
TRANSMISSION

10
FINAL DRIVE

11
WHEELS &
TIRE

12
BRAKE

13
FOOT
CONTROL

14
HANDLEBAR

15
FRONT
SUSPENSION

16
CHASSIS/
FRAME
& SHOCKS

17
FENDER
& STRUTS

18
GAS TANK &
INSTRUMENT

19
OIL TANK, FILTER
& LINE

20
FASTENERS

21
MIRROR



22
WINDSHIELD

23
OIL, CHEMICALS
& TOOLS

24
TECHTIPS &
CROSS REF
> ZPN

25
CROSS REF
ZPN > PAGE

26
ALPHABETICAL
INDEX



GENUINE ZODIAC CHAIN SPROCKETS FOR 6-SPEED TWIN CAM AND MILWAUKEE EIGHT

These chain sprockets allow you to convert 2006-2017 Dyna, 2007 to present Softail and 2007 to present Touring from belt drive to chain drive using a 530 series chain. Sprockets with .425" offset give the same chain to tire clearance as with the stock belt drive. Sprockets with bigger offset allow for fitment of a wider rear tire.

.425" (10.8mm) offset

- 191317 26 teeth
- 191318 25 teeth
- 191319 24 teeth

1/2" (12.7mm) offset

- 191320 26 teeth
- 191321 25 teeth
- 191322 24 teeth
- 191326 24 teeth with speed holes to reduce rotating weight

3/4" (19.05mm) offset

- 191323 26 teeth
- 191324 25 teeth
- 191325 24 teeth
- 191327 24 teeth with speed holes to reduce rotating weight

.900" (22.9mm) offset

- 191328 24 teeth with speed holes to reduce rotating weight



SPROCKET TAB WASHERS

Numerous races have been lost by saving the cost of a tab washer.

779997 Fits 1926-1973 45CI Solo & Servicar (OEM 2278-26, 35216-26)

292028 Fits 1952-1956 K models and 1957-1985 Sportster (OEM 35050-52)

292026 Fits 1937-1984 4-speed Big Twin, Genuine Zodiac, 10-pack (OEM 2337-36, 35216-36)

742452 Fits 1937-1984 4-speed Big Twin, James, 5-pack (OEM 2337-36, 35216-36)

779996 Fits 1980-1983 5-speed FLT, 10-pack (OEM 33335-79)



FINAL DRIVE CHAIN CONVERSION SPROCKETS FOR 2008-UP TOURING

Convert from the stock final belt drive to chain without losing the cush drive system in your rear wheel. The adapter features two regular (OEM 9276B) wheel bearings. Adapter and sprocket must be ordered separately.

Fits 2008-2016 Twin Cam Touring and 2017 to present Milwaukee Eight Touring

789923 Sprocket conversion adapter

789924 51 tooth rear sprocket for 530 series chain



ZODIAC GIGA NUTS

Zodiac sprocket lock nuts are the cure for your loose front pulley or front sprocket nut. These high tensile strength nuts have a built-in lock plate and can also be secured in several additional places by an easy drilling and tapping operation.

346090 Fits 1993 to present Sportster, 1993-2010 air cooled Buell, 1993-2000 FXR, 1993-2005 Dyna, 1993-2006 Softail and 1993-2006 Touring

346091 Fits 2006-2017 Dyna and 2007 to present Softail, 2007 to present Touring and 2009 to present Trike



RICK'S SPROCKET & PULLEY COVER FOR SPORTSTER

This front pulley insert and matching engine sprocket cover drastically improve the looks of the Sportster. The open engine sprocket cover replaces the stock cover and the pulley insert is bolted to the stock front belt drive sprocket and rotates when riding. Engine sprocket cover and pulley insert must always be used together. However, items must be ordered separately.

Fits 2004 to present Sportster

757410 Engine sprocket cover

757414 Insert for stock 28 teeth front pulley

757419 Insert for stock 29 teeth front pulley

757415 Insert for stock 30 teeth front pulley



RICK'S OFFSET BELT PULLEYS & COVERS FOR SPORTSTER

These offset belt pulleys, matching pulley inserts and sprocket covers were developed by Rick's to allow installation of up to 240mm tire widths on 2004 and later Sportster models. In addition to widening the OE swingarm, the belt drive also has to be relocated to the outside in order to be able to guide the belt along the wider tire. The open engine sprocket cover replaces the stock cover and the pulley insert is bolted to offset front belt drive sprocket and rotates when riding. Engine sprocket cover, offset belt pulley and pulley insert must always be used together. However, all items are to be ordered separately.

Fits 2004 to present Sportster

757410 Engine sprocket cover

757406 29 tooth pulley, 13mm offset

757416 Pulley insert for 13mm offset pulley

757407 29 tooth pulley, 17mm offset

757417 Pulley insert for 17mm offset pulley

757408 29 tooth pulley, 24mm offset

757418 Pulley insert for 24mm offset pulley

01
HELMETS,
LUGGAGE,
AUDIO & MORE

02
SEAT

03
EXHAUST

04
ELECTRIC
& LIGHT

05
ENGINE
ELECTRICS

06
INTAKE

07
ENGINE

08
PRIMARY

09
TRANSMISSION

10
FINAL DRIVE

11
WHEELS &
TIRE

12
BRAKE

13
FOOT
CONTROL

14
HANDLEBAR

15
FRONT
SUSPENSION

16
CHASSIS/
FRAME
& SHOCKS

17
FENDER
& STRUTS

18
GAS TANK &
INSTRUMENT

19
OIL TANK, FILTER
& LINE

20
FASTENERS

21
MIRROR

22
WINDSHIELD

23
OIL, CHEMICALS
& TOOLS

24
TECHTIPS &
CROSS REF
> ZPN

25
CROSS REF
ZPN > PAGE

26
ALPHABETICAL
INDEX



CUSTOM BELT PULLEY FOR BIG TWIN

These 20mm wide custom pulleys allow you to install a wider-than-stock wheel without going through the hassle of offsetting the front pulley and/or primary. Pulley and belt must be ordered separately.

Note: Check belt length before ordering. Rear pulley may require spacing depending on wheel width (see ZPN 735006 and similar).

2000-2008 Touring, 2000-2017 Dyna & 2000-2006 Softail (stock size on 2007-up Softail)

191338 Chrome 20mm wide rear belt pulley, 65 tooth

1984-1999 Evolution

701940 20mm wide rear belt pulley, 68-tooth

20mm final drive belt for use on 1984-1996 Touring with 68 tooth rear pulley

753549 20mm x 135 teeth belt (OEM 40655-06)

20mm final drive belt for use on 2000 to present Softail with 65 tooth rear pulley

753553 20mm x 133 teeth belt (OEM 40073-07)

20mm final drive belt for use on 1987-1999 Softail and 1991-1999 Dyna with 68 tooth rear pulley

753554 20mm x 132 teeth belt (OEM 40074-07)



CUSH DRIVE DAMPENER RUBBER FOR TOURING

Stock replacement rubber dampener for the rear wheel pulley on all 2009 to present Touring models.

782685 Cushdrive rubber, standard (OEM 40278-09)

789485 Cushdrive rubber, 25% stiffer than stock (OEM 40278-09)